



A P P R O V A L S ®

## Certificate of Approval

**Certificate No.:** SAA-173128-EA

**Certificate Holder:** Caledonian Cables Limited  
1/F CMA Building,  
64-66 Connaught Road, Central  
Hong Kong

**Class Description:** Building Wiring Cable  
**Product Description:** Cable (Single core, sheathed and circular)  
**Brand Name:** CALEDONIAN  
**Model No.:** CU/XLPE X-90/PVC 5V-90 4x1.5mm<sup>2</sup> + 1.5mm<sup>2</sup>E  
**Markings:** 0.6/1kV  
4-core + Earth  
**Standard:** AS/NZS 5000.1:2005 Inc A1  
**Conditions:** Nil

**Approval Mark:** SAA-173128-EA or RCM

**Date First Registered:** 20 December 2017

**Date of Expiry:** 20 December 2022

For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 20-12-17 173128/1



A P P R O V A L S ®

# Certificate of Approval

\* Addendum \*

**Certificate No.:** SAA-173128-EA

**Date of Issue:** 20 December 2017

**Class Description:** Building Wiring Cable

**Product Description:** Cable (Single core, sheathed and circular)

Additional Models	Description
CU/XLPE X-90/PVC 5V-90 1x1.5mm <sup>2</sup>	0.6/1kV
CU/XLPE X-90/PVC 5V-90 1x2.5mm <sup>2</sup>	0.6/1kV
CU/XLPE X-90/PVC 5V-90 1x4mm <sup>2</sup>	0.6/1kV
CU/XLPE X-90/PVC 5V-90 1x6mm <sup>2</sup>	0.6/1kV
CU/XLPE X-90/PVC 5V-90 1x10mm <sup>2</sup>	0.6/1kV
CU/XLPE X-90/PVC 5V-90 1x16mm <sup>2</sup>	0.6/1kV
CU/XLPE X-90/PVC 5V-90 2x1.5mm <sup>2</sup>	0.6/1kV, 2-core
CU/XLPE X-90/PVC 5V-90 2x2.5mm <sup>2</sup>	0.6/1kV, 2-core
CU/XLPE X-90/PVC 5V-90 2x4mm <sup>2</sup>	0.6/1kV, 2-core
CU/XLPE X-90/PVC 5V-90 2x6mm <sup>2</sup>	0.6/1kV, 2-core
CU/XLPE X-90/PVC 5V-90 2x10mm <sup>2</sup>	0.6/1kV, 2-core
CU/XLPE X-90/PVC 5V-90 2x16mm <sup>2</sup>	0.6/1kV, 2-core
CU/XLPE X-90/PVC 5V-90 3x1.5mm <sup>2</sup>	0.6/1kV, 3-core
CU/XLPE X-90/PVC 5V-90 3x2.5mm <sup>2</sup>	0.6/1kV, 3-core
CU/XLPE X-90/PVC 5V-90 3x4mm <sup>2</sup>	0.6/1kV, 3-core
CU/XLPE X-90/PVC 5V-90 3x6mm <sup>2</sup>	0.6/1kV, 3-core
CU/XLPE X-90/PVC 5V-90 3x10mm <sup>2</sup>	0.6/1kV, 3-core


For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 20-12-17 173128/2



A P P R O V A L S ®

# Certificate of Approval

## \* Addendum \*

**Certificate No.:** SAA-173128-EA

**Date of Issue:** 20 December 2017

**Class Description:** Building Wiring Cable

**Product Description:** Cable (Single core, sheathed and circular)

**Additional Models**

**Description**

CU/XLPE X-90/PVC 5V-90 3x16mm <sup>2</sup>	0.6/1kV, 3-core
CU/XLPE X-90/PVC 5V-90 4x1.5mm <sup>2</sup>	0.6/1kV, 4-core
CU/XLPE X-90/PVC 5V-90 4x2.5mm <sup>2</sup>	0.6/1kV, 4-core
CU/XLPE X-90/PVC 5V-90 4x4mm <sup>2</sup>	0.6/1kV, 4-core
CU/XLPE X-90/PVC 5V-90 4x6mm <sup>2</sup>	0.6/1kV, 4-core
CU/XLPE X-90/PVC 5V-90 4x10mm <sup>2</sup>	0.6/1kV, 4-core
CU/XLPE X-90/PVC 5V-90 4x16mm <sup>2</sup>	0.6/1kV, 4-core
CU/XLPE X-90/PVC 5V-90 5x1.5mm <sup>2</sup>	0.6/1kV, 5-core
CU/XLPE X-90/PVC 5V-90 5x2.5mm <sup>2</sup>	0.6/1kV, 5-core
CU/XLPE X-90/PVC 5V-90 5x4mm <sup>2</sup>	0.6/1kV, 5-core
CU/XLPE X-90/PVC 5V-90 5x6mm <sup>2</sup>	0.6/1kV, 5-core
CU/XLPE X-90/PVC 5V-90 5x10mm <sup>2</sup>	0.6/1kV, 5-core
CU/XLPE X-90/PVC 5V-90 5x16mm <sup>2</sup>	0.6/1kV, 5-core
CU/XLPE X-90/PVC 5V-90 2x1.5mm <sup>2</sup> + 1.5mm <sup>2</sup> E	0.6/1kV, 2-core + Earth
CU/XLPE X-90/PVC 5V-90 2x2.5mm <sup>2</sup> + 2.5mm <sup>2</sup> E	0.6/1kV, 2-core + Earth
CU/XLPE X-90/PVC 5V-90 2x4mm <sup>2</sup> + 2.5mm <sup>2</sup> E	0.6/1kV, 2-core + Earth
CU/XLPE X-90/PVC 5V-90 2x6mm <sup>2</sup> + 2.5mm <sup>2</sup> E	0.6/1kV, 2-core + Earth


For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 20-12-17 173128/3



A P P R O V A L S ®

# Certificate of Approval

\* Addendum \*

**Certificate No.:** SAA-173128-EA

**Date of Issue:** 20 December 2017

**Class Description:** Building Wiring Cable

**Product Description:** Cable (Single core, sheathed and circular)

**Additional Models**

**Description**

CU/XLPE X-90/PVC 5V-90 2x10mm <sup>2</sup> + 4mm <sup>2</sup> E	0.6/1kV, 2-core + Earth
CU/XLPE X-90/PVC 5V-90 2x16mm <sup>2</sup> + 6mm <sup>2</sup> E	0.6/1kV, 2-core + Earth
CU/XLPE X-90/PVC 5V-90 3x1.5mm <sup>2</sup> + 1.5mm <sup>2</sup> E	0.6/1kV, 3-core + Earth
CU/XLPE X-90/PVC 5V-90 3x2.5mm <sup>2</sup> + 2.5mm <sup>2</sup> E	0.6/1kV, 3-core + Earth
CU/XLPE X-90/PVC 5V-90 3x4mm <sup>2</sup> + 2.5mm <sup>2</sup> E	0.6/1kV, 3-core + Earth
CU/XLPE X-90/PVC 5V-90 3x6mm <sup>2</sup> + 2.5mm <sup>2</sup> E	0.6/1kV, 3-core + Earth
CU/XLPE X-90/PVC 5V-90 3x10mm <sup>2</sup> + 4mm <sup>2</sup> E	0.6/1kV, 3-core + Earth
CU/XLPE X-90/PVC 5V-90 3x16mm <sup>2</sup> + 6mm <sup>2</sup> E	0.6/1kV, 3-core + Earth
CU/XLPE X-90/PVC 5V-90 4x2.5mm <sup>2</sup> + 2.5mm <sup>2</sup> E	0.6/1kV, 4-core + Earth
CU/XLPE X-90/PVC 5V-90 4x4mm <sup>2</sup> + 2.5mm <sup>2</sup> E	0.6/1kV, 4-core + Earth
CU/XLPE X-90/PVC 5V-90 4x6mm <sup>2</sup> + 2.5mm <sup>2</sup> E	0.6/1kV, 4-core + Earth
CU/XLPE X-90/PVC 5V-90 4x10mm <sup>2</sup> + 4mm <sup>2</sup> E	0.6/1kV, 4-core + Earth
CU/XLPE X-90/PVC 5V-90 4x16mm <sup>2</sup> + 6mm <sup>2</sup> E	0.6/1kV, 4-core + Earth


For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 20-12-17 173128/4