



Marchants Industrial Centre, Mill Lane  
 Laughton, Lewes, East Sussex, BN8 6AJ, UK  
 Tel: +44 (207) 4195087  
 Fax: +44 (207) 8319489

1/F CMA Building, 64-66  
 Connaught Road Central, Hong Kong  
 Tel: +852 21161238  
 Fax: +852 28030726

**Caledonian Price List for 300/500V SR Insulated LSZH Sheathed Fire Resistant Cable  
 Standard: BS7629-1**

Caledonian: FFX200 05SOZ1-U 2CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1	Cu/SR/OSCR/LSZH	1,490
1.5	Cu/SR/OSCR/LSZH	2,099
2.5	Cu/SR/OSCR/LSZH	3,268
4	Cu/SR/OSCR/LSZH	4,858

Caledonian: FFX200 05SOZ1-U 3CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	2,817
2.5	Cu/SR/OSCR/LSZH	4,401
4	Cu/SR/OSCR/LSZH	6,550

Caledonian: FFX200 05SOZ1-U 4CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	3,550
2.5	Cu/SR/OSCR/LSZH	5,542
4	Cu/SR/OSCR/LSZH	8,231

Caledonian: FFX200 05SOZ1-U 7CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	5,343
2.5	Cu/SR/OSCR/LSZH	8,227

Caledonian: FFX200 05SOZ1-U 12CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	8,858
2.5	Cu/SR/OSCR/LSZH	13,813

Caledonian: FFX200 05SOZ1-U 19CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	13,639

Caledonian: FFX200 05SOZ1-R 2CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1	Cu/SR/OSCR/LSZH	1,564
1.5	Cu/SR/OSCR/LSZH	2,234
2.5	Cu/SR/OSCR/LSZH	3,370
4	Cu/SR/OSCR/LSZH	4,992

Caledonian: FFX200 05SOZ1-R 3CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	2,999
2.5	Cu/SR/OSCR/LSZH	4,540
4	Cu/SR/OSCR/LSZH	6,733

Caledonian: FFX200 05SOZ1-R 4CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	3,781
2.5	Cu/SR/OSCR/LSZH	5,720
4	Cu/SR/OSCR/LSZH	8,464

Caledonian: FFX200 05SOZ1-R 7CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	5,692
2.5	Cu/SR/OSCR/LSZH	8,506

Caledonian: FFX200 05SOZ1-R 12CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	9,444
2.5	Cu/SR/OSCR/LSZH	14,283

Caledonian: FFX200 05SOZ1-R 19CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/SR/OSCR/LSZH	14,547

Extra for Special Construction			
Anti-Termite and Anti-Rodent Sheath	6%	UV Resistant Sheath	1%
		Hydrocarbon Resistant Sheath	5%

Note: Caledonian Part No.: S=Silicone Rubber; O=Overall aluminium screen; Z1=Thermoplastic LSZH; -U=IEC 60228 Class 1; -R=IEC 60228 Class 2; C=Core; X=Conductor Size



**Caledonian**

Marchants Industrial Centre, Mill Lane  
 Laughton, Lewes, East Sussex, BN8 6AJ, UK  
 Tel: +44 (207) 4195087  
 Fax: +44 (207) 8319489

1/F CMA Building, 64-66  
 Connaught Road Central, Hong Kong  
 Tel: +852 21161238  
 Fax: +852 28030726

**Caledonian Price List for 300/500V Mica+SR Insulated LSZH Sheathed Fire Resistant Cable  
 Standard: BS7629-1**

Caledonian: FFX200E 05mSOZ1-U 2CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1	Cu/MGT/SR/OSCR/LSZH	1,827
1.5	Cu/MGT/SR/OSCR/LSZH	2,477
2.5	Cu/MGT/SR/OSCR/LSZH	3,704
4	Cu/MGT/SR/OSCR/LSZH	5,335

Caledonian: FFX200E 05mSOZ1-U 3CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	3,348
2.5	Cu/MGT/SR/OSCR/LSZH	5,017
4	Cu/MGT/SR/OSCR/LSZH	7,226

Caledonian: FFX200E 05mSOZ1-U 4CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	4,245
2.5	Cu/MGT/SR/OSCR/LSZH	6,347
4	Cu/MGT/SR/OSCR/LSZH	9,115

Caledonian: FFX200E 05mSOZ1-U 7CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	6,504
2.5	Cu/MGT/SR/OSCR/LSZH	9,577

Caledonian: FFX200E 05mSOZ1-U 12CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	10,801
2.5	Cu/MGT/SR/OSCR/LSZH	16,092

Caledonian: FFX200E 05mSOZ1-U 19CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	16,636

Caledonian: FFX200E 05mSOZ1-R 2CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1	Cu/MGT/SR/OSCR/LSZH	1,913
1.5	Cu/MGT/SR/OSCR/LSZH	2,626
2.5	Cu/MGT/SR/OSCR/LSZH	3,822
4	Cu/MGT/SR/OSCR/LSZH	5,490

Caledonian: FFX200E 05mSOZ1-R 3CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	3,553
2.5	Cu/MGT/SR/OSCR/LSZH	5,181
4	Cu/MGT/SR/OSCR/LSZH	7,440

Caledonian: FFX200E 05mSOZ1-R 4CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	4,507
2.5	Cu/MGT/SR/OSCR/LSZH	6,559
4	Cu/MGT/SR/OSCR/LSZH	9,390

Caledonian: FFX200E 05mSOZ1-R 7CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	6,907
2.5	Cu/MGT/SR/OSCR/LSZH	9,915

Caledonian: FFX200E 05mSOZ1-R 12CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	11,479
2.5	Cu/MGT/SR/OSCR/LSZH	16,661

Caledonian: FFX200E 05mSOZ1-R 19CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/SR/OSCR/LSZH	17,689

Extra for Special Construction			
Anti-Termite and Anti-Rodent Sheath	6%	UV Resistant Sheath	1%
		Hydrocarbon Resistant Sheath	5%

Note: Caledonian Part No.: m=Mica glass tape; S=Silicone Rubber; O=Overall aluminium screen; Z1=Thermoplastic LSZH; -U=IEC 60228 Class 1; -R=IEC 60228 Class 2; C=Core; X=Conductor Size



**Caledonian**

Marchants Industrial Centre, Mill Lane  
 Laughton, Lewes, East Sussex, BN8 6AJ, UK  
 Tel: +44 (207) 4195087  
 Fax: +44 (207) 8319489

1/F CMA Building, 64-66  
 Connaught Road Central, Hong Kong  
 Tel: +852 21161238  
 Fax: +852 28030726

**Caledonian Price List for 300/500V Mica+LSZH Insulated LSZH Sheathed Fire Resistant Cable  
 Standard: BS7629-1**

Caledonian: FFX200 05mZOZ1-U 2CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1	Cu/MGT/LSZH/OSCR/LSZH	1,563
1.5	Cu/MGT/LSZH/OSCR/LSZH	2,126
2.5	Cu/MGT/LSZH/OSCR/LSZH	3,235
4	Cu/MGT/LSZH/OSCR/LSZH	4,801

Caledonian: FFX200 05mZOZ1-U 3CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	2,822
2.5	Cu/MGT/LSZH/OSCR/LSZH	4,314
4	Cu/MGT/LSZH/OSCR/LSZH	6,424

Caledonian: FFX200 05mZOZ1-U 4CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	3,544
2.5	Cu/MGT/LSZH/OSCR/LSZH	5,410
4	Cu/MGT/LSZH/OSCR/LSZH	8,046

Caledonian: FFX200 05mZOZ1-U 7CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	5,278
2.5	Cu/MGT/LSZH/OSCR/LSZH	7,936

Caledonian: FFX200 05mZOZ1-U 12CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	8,700
2.5	Cu/MGT/LSZH/OSCR/LSZH	13,278

Caledonian: FFX200 05mZOZ1-U 19CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	13,308

Caledonian: FFX200 05mZOZ1-R 2CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1	Cu/MGT/LSZH/OSCR/LSZH	1,632
1.5	Cu/MGT/LSZH/OSCR/LSZH	2,251
2.5	Cu/MGT/LSZH/OSCR/LSZH	3,322
4	Cu/MGT/LSZH/OSCR/LSZH	4,916

Caledonian: FFX200 05mZOZ1-R 3CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	2,990
2.5	Cu/MGT/LSZH/OSCR/LSZH	4,430
4	Cu/MGT/LSZH/OSCR/LSZH	6,578

Caledonian: FFX200 05mZOZ1-R 4CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	3,756
2.5	Cu/MGT/LSZH/OSCR/LSZH	5,558
4	Cu/MGT/LSZH/OSCR/LSZH	8,241

Caledonian: FFX200 05mZOZ1-R 7CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	5,593
2.5	Cu/MGT/LSZH/OSCR/LSZH	8,164

Caledonian: FFX200 05mZOZ1-R 12CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	9,226
2.5	Cu/MGT/LSZH/OSCR/LSZH	13,659

Caledonian: FFX200 05mZOZ1-R 19CX		
Cond. Size (sqmm)	Description	Quotation (USD/km)
1.5	Cu/MGT/LSZH/OSCR/LSZH	14,122

Extra for Special Construction			
Anti-Termite and Anti-Rodent Sheath	6%	UV Resistant Sheath	1%
		Hydrocarbon Resistant Sheath	5%

Note: Caledonian Part No.: m=Mica glass tape; O=Overall aluminium screen; Z=Crosslinked LSZH; Z1=Thermoplastic LSZH; -U=IEC 60228 Class 1; -R=IEC 60228 Class 2; C=Core; X=Conductor Size